United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/530,091	03/13/2006	Matthew S Gill	314-300810US	7528
22434 7590 02/08/2007 BEYER WEAVER LLP P.O. BOX 70250			EXAMINER	
			MARTIN, PAUL C	
OAKLAND, CA 94612-0250			ART UNIT	PAPER NUMBER
			1657	
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
31 D	AYS	02/08/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)			
	10/530,091	GILL ET AL.			
Office Action Summary	Examiner	Art Unit			
	Paul C. Martin	1657			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
Responsive to communication(s) filed on This action is FINAL. 2b)⊠ This Since this application is in condition for allowan closed in accordance with the practice under E	action is non-final. ace except for formal matters, pro				
Disposition of Claims					
4) ⊠ Claim(s) <u>1-65</u> is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) □ Claim(s) is/are allowed. 6) □ Claim(s) is/are rejected. 7) □ Claim(s) is/are objected to. 8) ⊠ Claim(s) <u>1-65</u> are subject to restriction and/or example.					
9) The specification is objected to by the Examine	r .				
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119		•			
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4)				
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date		5) Notice of Informal Patent Application			

Application/Control Number: 10/530,091

Art Unit: 1657

DETAILED ACTION

Claims 1-65 are pending in this application.

Election/Restrictions

Restriction is required under 35 U.S.C. 121 and 372.

This application contains the following inventions or groups of inventions which are not so linked as to form a single general inventive concept under PCT Rule 13.1.

In accordance with 37 CFR 1.499, applicant is required, in reply to this action, to elect a single invention to which the claims must be restricted.

Group I, claim(s) 1-22, drawn to a method for screening for the activity of one or more agents on a nematode.

Group II, claim(s) 23-42, drawn to a device for screening for the activity of one or more agents on a nematode.

Group III, claim(s) 43-65, drawn to a kit for screening for the activity of one or more agents on a nematode.

The inventions listed as Groups I-III do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons: The technical feature of Group I, a method comprising providing a multi-well microtiter plate, each of a plurality of the wells containing one or more nematodes, contacting the nematodes with one or more test agents, contacting the nematodes with a detectable label which indiates the viability of the nematodes and detecting the detectable label to ascertain the viability of the nematodes wherein an increase of decrease in the nematodes viability indicates the nematodes are susceptible to the activity of the test agent or that the test agent is active on the nematodes is not found to be "special" over the prior art.

Application/Control Number: 10/530,091

Art Unit: 1657

Candido *et al.* (US 5,877,398) teaches a method wherein a multiwell plate containing nematodes is contacted with cadmium chloride, contacted with the substrate ONPG, detecting the amount of yellow ortho-nitrophenol formed when β-galactosidase cleaves ONPG, and ascertaining the viability of the nematodes wherein the lethal concentration of Cadmium Chloride which kills 50% (LC50) of the nematodes over a time period is determined (Column 5, Lines 20-45 and Column 3, Lines 51-56 and Fig. 7).

Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species or invention to be examined even though the requirement be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.

The election of an invention or species may be made with or without traverse. To reserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.

Should applicant traverse on the ground that the inventions or species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the inventions or species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C.103(a) of the other invention.

Art Unit: 1657

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paul C. Martin whose telephone number is 571-272-3348. The examiner can normally be reached on M-F 8am-4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jon Weber can be reached on 571-272-0925. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Paul Martin Examiner

Art Unit 1657

01/31/07

Jon Weber Supervisory Patent Examiner